UMBROSA

UNIQUE SHADE DESIGN

PARAFLEX

CLASSIC / NEO / MONO POLE / MULTI POLE

UMBROSA
UNIQUE SHADE DESIGN

UMBROSA.COM

ENG Congratulations with your purchase! Please completely read and follow all the instructions.
NL Proficiat met uw aankoop! Gelieve alle instructies te lezen en op te volgen.
FR Félicitations avec votre achat. Lisez svp les instructions complètes.
DE Herzlichen Glückwunsch zu Ihrem Kauf! Bitte vollständig lesen und befolgen Sie alle Anweisungen.
ES Felicidades con su compra! Por favor lea y siga todas las instrucciones.
IT Congratulazioni con il Vs. acquisto! Vi preghiamo di leggere bene le istruzioni e di seguirne scrupolosamente le indicazioni.

IMPORTANT:
Please read this entire manual before installing or operating your umbrella, to reduce risk of personal injury in which a person is injured or harmed, and/or damage to personal property. Prior to assembly it is important to decide on the location of the umbrella and to respect the following instructions:

- Choose a location that is level and sturdy.
- Avoid any sloping of soft ground.
- Consider a location that will maximize the umbrella's 360° rotating function (if available)
- Two-person team is recommended for assembly

BEFORE YOU START

SAFETY STATEMENTS & WARNINGS

- Product is suitable for light wind and/or light rain only.
- Position product in direction of wind as recommended in user manual.
- Do not use product in inclement weather, such as strong wind, thunderstorms, heavy rain or snow, and make sure that the umbrella is closed and stored in advance.
- Never allow the umbrella to flap in the wind. This could cause personal injury, damage to personal property, damage to umbrella and/or umbrella canopy.
- Close product and secure strap when not in use.
- Do not use product without its base or unless attached to building structure, and keep umbrella secured to umbrella base or mount at all times.
- Do not use product over or near harsh chemicals or open flames.
- Place product on stable and level surface.
- Do not allow children to assemble or operate product.
- Do not leave product unattended.
- Store product indoors during winter and extreme weather conditions.
- When adjusting or assembling the umbrella or umbrella base, make sure fingers, toes or any other parts of the body are clear from moving parts. Failing to do so may result in serious injury.
- Only use Umbrosa replacement parts.
- Read owner's manual.
- Any modifications to the product or failure to follow recommended care will void the warranty.
- Wind damage is not covered under our limited warranty.

DISCLAIMER:

All mounting kits and supports for inground fitting and installation on hard surfaces should only be installed by a licensed contractor duly qualified to perform the installation. Umbrosa assumes no liabilities and expressly disclaims any responsibilities for injuries or damages arising from or related to the failure of buyer to have any kit or fitting installed by a licensed professional contractor.

INDEX

BASE AND ANCHOR OPTIONS

p7

p11

PARAFLEX OPTIONS

PARAFLEX WALL MOUNT p15

PARAFLEX NEO HOLDER p18

PARAFLEX CLASSIC HOLDER p18

PARAFLEX SINGLE POLE p21

PARAFLEX MULTI POLE p23

PARAFLEX 4+1 p25

PARAFLEX WALL BRACKET p27

PARAFLEX DUOFLEX HINGE p29

PARAFLEX CANOPY p31

USER INSTRUCTIONS p33

TIPS AND MAINTENANCE p39

WARRANTY AND SPARE PARTS p42

INSTALLATION DIMENSIONS

POLE - BASE PLATE

POLE - CONCRETE ANCHOR

WALL

HOLDER

SINGLE POLE (220 cm)

MULTI POLE (230 cm)

TILE BASE INSTALLATION

UMFIXTILMOBG0000

MAFIXTILMOBG0000

MABOLI0490
4x

MACOMU020B
4x

OPTIONS

UMFIXTOPMOBA0000

UMFIXTILES120000

UMBASM80FL017EXT

UMBASEWHEELH00

TILE BASE INSTALLATION

1

4x

UMBROSA.COM

OR OPTION : UMBASM80FL017EXT

1'

4x 4x

TILE BASE INSTALLATION

OR OPTION : UMBASEWHEELH00

1”

UMFIXTILES120000

2

TILE BASE INSTALLATION

OPTIONAL : UMFIXTOPMOBA0000

3

4

FRAGILE SURFACE

COVER DURING ASSEMBLY

CONCRETE ANCHOR INSTALLATION

UMFIXCROTG000000

1

HITUBG0000

HITUBG00900000

MAPLAI0320

ENG Dimensions are indicative. Final responsibility always lies with the installer.
NL Maten zijn informatief. Eindverantwoordelijkheid ligt bij de installateur.
FR Les dimensions indiquées sont seulement à titre informatif. La responsabilité finale incombe à l’installateur.
DE Die Maße sind nur informativ. Der Installateur trägt die Verantwortung für die Ausführung.
ES Los tamaños son sólamente informativos. El instalador es responsable del acabado final.
IT Dimensioni sono indicative. La responsabilità finale spetta sempre all’installatore.

2

3

4

	GRASS	GRAVEL	TILES
X*	10 cm 3.9″	4 cm 1.6″	= H

5

6

7

PARAFLEX WALL MOUNT

PFCOV

PFFRA

PFFIXW340ANEO0000

PFPRO0192CGREY19
(OPTIONAL)

PFHOLS185S OR PFHOLS200SNEO

MAKEY00060

Not included - Niet inbegrepen - Pas inclus
Nicht inbegriffen - No incluido - Non incluso

DIN 7991 M8	Ø8 mm	Ø8 mm	DIN 7991 M8

1

2

3

4

PARAFLEX HOLDER INSTALLATION

1

2

p18 PARAFLEX NEO HOLDER INSTALLATION

p19 PARAFLEX CLASSIC HOLDER INSTALLATION

PARAFLEX NEO HOLDER INSTALLATION

3

4

3

4

PARAFLEX SINGLE POLE INSTALLATION

PFPOSS220A000000

1

2

3

PARAFLEX NEO

p18 PARAFLEX NEO HOLDER INSTALLATION

PARAFLEX CLASSIC

p19 PARAFLEX CLASSIC HOLDER INSTALLATION

PARAFLEX MULTI POLE INSTALLATION

PFPOMS230A201500

1

2

3

PARAFLEX NEO

p18 PARAFLEX NEO HOLDER INSTALLATION

PARAFLEX CLASSIC

p19 PARAFLEX CLASSIC HOLDER INSTALLATION

PARAFLEX MULTI 4+1 INSTALATION

PFPOTS025I002015

1

2

3

4

WALL BRACKET INSTALATION

PFFIXWBRAIHD0000

SINGLE

MULTI

1

Not included - Niet inbegrepen - Pas inclus
Nicht inbegriffen - No incluido - Non incluso

2

3

4

5

DUOFLEX HINGE

PFPOSDUO00000000

! **ONLY FOR PARAFLEX CLASSIC ARM**

ONLY FOR PARAFLEX CLASSIC ARM

1

2

3

4

PARAFLEX CANOPY INSTALLATION

1

2

3

PARAFLEX USER INSTRUCTIONS

POSITION 1

POSITION 2

UMBROSA.COM

2

4

3

CAUTION: Do not use tilt function during winds.
Doing so may cause damage to your umbrella. Canopy can only be closed safely when it is not tilted.

5

CAUTION: Do not use rotating function during winds. Doing so may cause damage to your umbrella.

6

ENG We strive for a perfect cover tension with our Paraflex. The first time, you'll have to use more power to close the cover. From the second use, the cover will be formed and it will close more easily.

NL Met onze Paraflex streven wij naar de perfecte doekspanning. De eerste maal moet u veel kracht uitoefenen om het doek te sluiten. Vanaf het tweede gebruik zal het doek zich zetten, en zal sluiten vlot verlopen.

FR Nous aspirons à une tension de toile impeccable avec notre Paraflex. La première fois, vous voudrez exercer plus de force afin de fermer la toile. A partir de la deuxième utilisation, la toile s'adaptera et fermera plus facilement.

DE Mit unserem Paraflex streben wir nach einem perfekten Tuchspannung. Das erste Mal müssen Sie viel Kraft benutzen um den Tuch zu schließen. Ab dem zweiten Gebrauch wird das Tuch dehnen und wird es flotter schließen.

ES Con el Paraflex, nos afanamos por una tensión de lonas perfecta. La primera vez tiene que usar mucha fuerza para cerrar la lona. Desde el segundo uso, la lona adaptará y cerrará muy fluidamente.

IT Anche per il ns. modello Paraflex, ci impegniamo per ottenere una perfetta tensione del telo. La prima volta, e' normale che ci vuole più forza per aprire il telo. A partire dal secondo utilizzo, il telo avrà già preso la sua forma e sarà più facile aprire l'ombrellone.

CAUTION: Never force the ribs.
If you experience any resistance, make sure all ribs are freed manually to facilitate opening.

7

8

OPTIONAL : PARAFLEX COVER (PFPRO0192CGREY19)

9

10

ALWAYS TIGHTEN FIRMLY !
ALTIJD GOED AANSPANNEN !
TOUJOURS TENDRE AU MAXIMUM !
IMMER GUT ANSPANNEN !
SIEMPRE TENSIONAR BIEN !
STRINGERE BENE !

TIPS

MAINTENANCE

UMBROSA
WATER REPELLENT SPRAY

UMBROSA
MAINTENANCE KIT

ENG	Maintenance instructions on website
NL	Onderhoudsinstructies op webpagina
FR	Nettoyage et guide d'entretien sur le site web
DE	Pflegehinweise auf der Webseite
ES	Instrucciones de mantenimiento en el sitio web
IT	Istruzioni di mantenimento sul sito

MAINTENANCE

ENG In order to **prevent stainless steel from rusting,** it is necessary to treat it frequently and preventatively. Umbrosa recommends cleaning and protecting the surface regularly. Cleaning can easily be done using standard dishwashing detergents. Afterwards, a protection layer can be applied onto the dry surface with a silicon spray. In an aggressive environment (maritime climate, chlorine, acid rain, aggressive industrial or urban environment) we recommend to clean the surface more frequently. Rust can be removed using a a cloth and polishing paste. These kinds of products can be bought in do-it-yourself shops, but also in car specialty stores that sell several “stainless steel polishers”.

NL **Roestvast staal blijft enkel vrij van corrosie**, wanneer deze goed en preventief wordt behandeld. Umbrosa raadt bijgevolg aan om regelmatig het oppervlak te reinigen en beschermen. Reinigen kan eenvoudig met warm water met afwasmiddel zoals “Dreft”. Nadien brengt u op het droge oppervlakte een beschermlaag aan met bijvoorbeeld Silicone spray. In een agressieve omgeving (maritiem klimaat, chloor, zure regen, agressieve industriële of stedelijke omgeving), dient men de frequentie van dit preventief onderhoud op te drijven. Wanneer lichte roest zichtbaar is, dient deze te worden verwijderd met doek en speciale polierpasta. Dergelijke producten zijn te koop in Doe-het-Zelf zaken, alsook in autospeciaalzaken waar men verschillende “stainless steel polishers” verkoopt.

FR Pour **éviter que L’acier inoxydable corrode**, c’est nécessaire de traiter la surface régulièrement. Umbrosa conseille de nettoyer et protéger régulièrement la surface en utilisant l’eau chaude et un peu de détergent. Après, sur la surface sèche, vous pouvez appliquer une couche de protection avec, par exemple, un spray de Silicone. Surtout dans un environnement agressif (climat maritime, chlore, pluie acide, environnement industriel ou urbaine agressif) nous recommandons de nettoyer fréquemment la surface. Vous pouvez éliminer des éventuelles taches de rouille avec un chiffon et du cirage. Vous pouvez trouver ce type de produits dans des magasins bricolage, mais aussi dans des magasins spécialisés, ou on vend plusieurs “stainless steel polishers”.

DE **Edelstahl bleibt nur frei von Korrosion**, wenn dieser gut und Präventiv behandelt wird. Umbrosa empfiehlt regelmäßig die Oberfläche zu reinigen und zu schützen. Reinigung kann problemlos mit warmem Wasser mit Seife. Danach bearbeiten Sie die trockene Oberfläche mit einer Schutzschicht z.B. Silikonspray. In einem aggressiven Umfeld (Seeklima, Chlor, saurer Regen, aggressive Industrie- oder städtischen Umwelt) sollte mann diese Behandlung häufig machen. Sichtbaren Rost sollte mit Tuch und spezielle Polierwerkzeuge Paste entfernt werden. Solche Produkte findet man in Baumärkten sowie in Auto Läden wo man verschiedene "Edelstahl Polierer verkauft".

ES **Acero inoxidable sólo permanece libre de corrosión**, cuando esta bien y se trata como una medida preventiva. Umbrosa recomienda de limpiar regularmente la superficie para y proteger. Limpieza puede fácilmente con agua tibia con jabón del plato. Luego, lleva sobre la superficie seca con una capa protectora para por ejemplo spray de silicona. En ambientes agresivos (clima marítimo, cloro, lluvia ácida, agresivo ambiente urbano o industrial), la frecuencia de este mantenimiento preventivo para arriba. Cuando el moho visible, se debe retirar con paño y pasta de pulir especial. Estos productos se venden en ferreterías, así como en tiendas de coches donde uno diferentes vende ’’pulidores de acero inoxidable".

IT Per **prevenire l’arruginirsi dell’acciao inox**, è necessario curarlo frequentemente e preventivamente. Umbrosa consiglia di pulire e proteggere frequentemente la superficie. E’ possibile pulire l’acciaio inox con aqua calda e detergente. Dopo aver pulito la superficie, la potete proteggere applicando sulla superficie asciutta uno strato protettivo con, per esempio, lo spray al silicone. In un ambiente aggressivo (clima marittimo, cloro, pioggia acida, ambiente aggressivo industriale o urbano) consigliamo di pulire la superficie più spesso. E’ possibile rimuovere possibili macchie di ruggine con uno straccio e un po’ di lucidante. Questi prodotti sono disponibili in negozi fai da te, ma anche in negozi specializzati (come quelli che vendono i prodotti per pulire le macchine) che vendono vari “stainless steel polishers”.

WARRANTY

KEEP THIS AVAILABLE

1 PROOF OF PURCHASE / AANKOOPBEWIJS / PREUVE D'ACHAT / KAUFBELEG / JUSTIFICANTE DE COMPRA / PROVA D'ACQUISTO

2 SERIAL NUMBER / SERIENUMMER / NUMÉRO DE SÉRIE / SERIENNUMMER / NÚMERO DE SERIE / NUMERO DI SERIE

ENG Warranty conditions on website
NL Garantievoorwaarden op webpagina
FR Conditions de garantie sur le site Web
DE Garantiebedingungen auf der Webseite
ES Condiciones de garantía en el sitio web
IT Condizioni di garanzia sul sito

SPARE PARTS

PARAFLEX CLASSIC / NEO FRAME

☒	190	PFSPARIB1900000SQ
✡	220	PFSPARIB220000HE
✡	270	PFSPARIB270000HE
✡	300	PFSPARIB300EVOHE
⊠	230	PFSPARIB250EVOS1 (SHORT)
	230	PFSPARIB250EVOS2 (LONG)

PFHOLGHANDVNEO00
PFHOLGGRID000NEO
MADECI0161
MADECI0171
MADECI0151
MADECI0181
MASPR00020
HPSPA001

SPARE PARTS

PARAFLEX NEO

** This component is not replaceable, replace the subassembly instead*

MACOMUNEOW
MADECI0041
MADECI0051
MABOLI0100
MAPLAI0111
MADECI0041
MADECI0051
MABOLI0100
MAPLAI0111
MAPLAI0091
HPPRFA0NEO
MABOLI0090
MAPLAI0100
HPSPA00400000000
HPSPA00300000000
HPHINA0011
MAPLAI0081
MABOLI0090
MACOMUNEOW
MADEC00021
2x
MABOLI0040
MAACCG0030
MAPLAI0081
MADEC00021
2x
MAACCG0030
MABOLI0040

UMBROSA

UNIQUE SHADE DESIGN

Umbrosa
Beversesteenweg 565 B, 8800 Roeselare, Belgium.
T: +32 51 30.22.60 | F: +32 51 30.22.62 | E: info@umbrosa.com | www.umbrosa.com

Umbrosa Inc
530 7th Avenue, Suite 902, New York, NY 10018
T: (855) 285-6595 | E: info@umbrosa.com | www.umbrosa.com

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. Of course we do our best to eliminate all mistakes, but Umbrosa is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

VERSION 20220204